with 🌁 with withrit with

TURBO AIR

1250 Victoria street Carson, CA 90746 U.S.A. & Canada Toll Free 1-800-627-0032 Fox Service 1-800-381-7770 TEL: 310-900-1000

FAX: 310-900-1077 www.turboairinc.com



Commercial Refrigerator Service Manual

Chef Base Equipment

Model No.: TCBE-52SDR

TCBE-82SDR

TCBE-96SDR

TABLE OF CONTENTS

1. FEATURE CHART

- 1-1.PLAN VIEW/SIDE VIEW/FRONTVIEW(TCBE-52SDR)
- 1-2.PLAN VIEW/SIDE VIEW/FRONT VIEW(TCBE-82SDR)
- 1-3.PLAN VIEW/SIDE VIEW/FRONT VIEW(TCBE-96SDR)

2. WIRING DIAGRAMS

- 2-1.TCBE-52SDR
- 2-2.TCBE-82SDR
- 2-3.TCBE-96SDR

3. PART DETAIL

- 3-1.COMPRESSOR COMPARTMENT
- 3-2.DOOR
- 3-3.DRAWER
- 3-4.REFRIGERATION COMPARTMENT
- 4. MAIN COMPONENTS

5. TEMPERATURE CONTROL INSTRUCTION

- 5-1.HOW TO USE THE TEMPERATURE CONTROL
- 5-2.FUNCTION TABLE


6. PARTS LIST

7. REPLACEMENT OF MAIN COMPONENTS


- 7-1.REPLACE DRAWER
- 7-2.REFRIGERATION COMPARTMENT PARTS
- 7-3.COMPRESSOR COMPARTMENT PARTS
- 7-4.REPLACING THE DISPLAY ASSEMBLY
- 7-5.REPLACING THE CABINET HEATER
- 7-6.REPLACING THE MULLION COVER
- 7-7.REPLACE THE PANS

1.FEATURE CHART


1-1. PLAN VIEW/SIDE VIEW/FRONT VIEW(TCBE-52SDR)




1-2. PLAN VIEW/SIDE VIEW/FRONT VIEW(TCBE-82SDR)




1-3. PLAN VIEW/SIDE VIEW/FRONT VIEW(TCBE-96SDR)



2. WIRING DIAGRAMS





3-1. COMPRESSOR COMPARTMENT



CONDENSING UNIT ASSEMBLY TCBE-52SDR



CONDENSING UNIT ASSEMBLY TCBE-82SDR/TCBE-96SDR










CONDENSER FAN MOTOR ASSEMBLY
TCBE-52SDR


CONDENSER FAN MOTOR ASSEMBLY
TCBE-82SDR/TCBE-96SDR

3-2. DOOR




DOOR GASKET


3-3. DRAWER



3-4. REFRIGERATION COMPARTMENT



EVA FAN DUCT



EVAPORATOR COIL



EVAPORATOR FAN MOTOR (TCBE-52SDR)



THERMOSTATE

4.MAIN COMPONENTS

1.COMPRESSOR

MODEL	PART NAME	PART NO.	HORSE	CAPACITY	TYPE OF	INPUT	MAKER
MODEL	PART NAIVIE	PARTINO.	POWER	CAPACITY	MOTOR	INPUT	WAKEK
TCBE-52SDR	HBL27YE-1	M369700100	1/4HP	~	CSR	~	DAEWOO
TCBE-82SDR	SK1A1C-L2W	M609700100	1/3HP	~	CSR	~	SAMSUNG
TCBE-96SDR	SK1A1C-L2W	M609700100	1/3HP	~	CSR	~	SAMSUNG

2.COMPRESSOR RELAY, OVERLOAD

MODEL	RELAY	PART NO.	OVER LOAD	PART NO	MAKER	NOTE
TCBE-52SDR	GSR SO68 BO8 08	~	4TM795TFBZZ-52	~	DAEWOO	~
TCBE-82SDR	J531Q34E220M3503	~	4TM795TFBZZ-53	~	SAMSUNG	~
TCBE-96SDR	J531Q34E220M3503	~	4TM795TFBZZ-53	~	SAMSUNG	~

3.COMPRESSOR CAPACITOR

MODEL	STARTING	PART NO.	RUNING	PART NO.	MAKER	NOTE
TCBE-52SDR	200V/100 μ F	~	230V/10 μ F	~	~	~
TCBE-82SDR	125V/125 μ F	~	250V/12 μ F	~	~	~
TCBE-96SDR	125V/125 μ F	~	250V/12 μ F	~	~	~

4.CONDENSER FAN MOTOR

MODEL	PART NAME	PART NO.	POLE	INPUT	TYPE	BLADE (NUMBER)	MAKER
TCBE-52SDR					Shaded Pole		
TCBE-82SDR	IS-4420DWSN-2A	3963328120	3963328120 4P		Induction	AL5	SUNGSHIN
TCBE-96SDR					IIIuuCliOII		

5.EVAPORATOR FAN MOTOR


MODEL	PART NAME	PART NO.	POLE	INPUT	TYPE	BLADE (NUMBER)	MAKER
TCBE-52SDR					Chadad Dala		
TCBE-82SDR	IS-4420DWSN-2A	3963328120	4P	47W	Shaded Pole Induction	AL5	SUNGSHIN
TCBE-96SDR					mauction		

6.SWITCH

PART NAME	PART NO.	RATING	MAKER	NOTE
POWER SWITCH(ROCKER SWITCH)	30281Q0100	125V/15A	SKT	
THERMOSTATE		K55-Q5608		

5.TEMPERATURE CONTROL INSTRUCTION

5-1.HOW TO USE THE TEMPERATURE CONTROL



5-2.FUNCTION TABLE

Function	Controlled	Description	Description						
	Part								
Temperature	Compressor	1 . The tempe	1 . The temperature can be changed by turning the dial knob						
Control	Evap. Fan Motor	2 . Compresso	2 . Compressor is automatically turned on and off by thermostat						
(K55-Q5607)	Cond. Fan Motor	■ Cut in and ou	t temperature cha	art.					
Model:TCBE-52SDR		No	Cool	Normal	cold				
TCBE-82SDR		Cut in	40.1±2.7	40.1±2.7	40.1±2.7				
TCBE-96SDR		Cut out		21.2	17.1				

6.PARTS LIST FOR CHEF BASE EQUIPMENT

				Model			
Part name	Part code	Description	TCBE-	TCBE-	TCBE-	Maker	
			52SDR	82SDR	96SDR		
Cabinet							
CABINET ASSEMBLY	C520000100	STS430-#4	1				
CABINET ASSEMBLY	C820000100	STS430-#4		1			
CABINET ASSEMBLY	C960000100	STS430-#4			1		
CASTOR	M726500200	WITH BRAKE(5inch)	2	2	2	Same as mega top	
CASTOR	M726500100	5inch	2	2	2	Same as mega top	
Drawer							
DRAWER ASSEMBLY	C520000200	STS304-2B/0.059"(Thickness)	2	2	4		
DRAWER ASSEMBLY(S)	C960000200	STS304-2B/0.059"(Thickness)		2			
DOOR ASSEMBLY	C960000300	STS304-#4	2	2	4		
DOOR ASSEMBLY(S)	C820000200	STS304-#4		2			
DOOR GASKET	C962300100	PVC-S1000	2	2	4		
DOOR GASKET(S)	C822300100	PVC-S1000		2			
ROLLER ASSEMBLY	C966500100	STS304	16	32	32		
ROLLER SCREW	C960100100	STS316	16	32	32		
ROLLER NUT		STS304/M6	16	32	32		
ROLLER CUSHION	C961500100	STS304	16	32	32		
Compressor compartment			1	l .	•		
CONDENSER ASSEMBLY	C965900101	CU		1	1		
CONDENSER ASSEMBLY	C525900101	CU	1				
COMPRESSOR BASE	C960300200	GL,T2		1	1		
COMPRESSOR BASE	C520300200	GL,T2	1				
COMPRESSOR	M369700100	HBL27YE-1	1			Same as mega top	
COMPRESSOR	M609700100	SK6A1C-H2Y		1	1	Same as mega top	
POWER CORD	30232M0210	PVC	1	1	1	Same as mega top	
DRYER ASSEMBLY	M726800100					Same as mega top	
CONDENSER FAN MOTOR	3966328120	IS-4420DWSV-2A	1	1	1	Same as mega top	
CONDENSER FAN BLADE	M729800100	ΑΙφ175	1	1	1	Same as mega top	
UNIT FRONT COVER	C962400100	STS304-2B/0.024"(Thickness)	1	1	1		

PARTS LIST FOR CHEF BASE EQUIPMENT

				Model		
Part name	Part code	Description			TCBE-	maker
				82SDR	96SDR	
SUCTION PIPE	C524400200	CU	1			
SUCTION PIPE	C964400400	CU		1	1	
CAPILLARY TUBE	C524400200	CU	1			
CAPILLARY TUBE	C964400400	CU		1	1	
CONNECT PIPE						
COMPRESSOR AND	C964400600	CU	1			
CONDENSER						
CONNECT PIPE						
COMPRESSOR AND	C964400500	CU		1	1	
CONDENSER						
CONNECT PIPE						
COMPRESSOR AND	C964400200	CU	1			
DRYER						
CONNECT PIPE						
COMPRESSOR AND	C964401200	CU		1	1	
DRYER						
COMPRESSOR HARNESS		PVC	1	1	1	
ASSEMBLY		PVC		'		
HARNESS RELAY	C962700200	18AWG/PVC	1	1	1	
THERMOSTAT DISPLAY AS	C968200100	SF-100T	1	1	1	
Refrigeration compartment						
CABINET HEATER	C522800100	PVC	1			
CABINET HEATER	C822800200	PVC		1		
CABINET HEATER	C962800300	PVC			1	
MULLION HEATER(A)	C962800100	PVC		1	1	
MULLION HEATER(B)	C822800100	PVC		1		
MULLION HEATER(C)	C962800200	PVC	1	1	2	
MULLION PAD(A)	C964100100	EPS/0.016g/cm ³		1	1	
MULLION PAD(B)	C824100100	EPS/0.016g/cm ³		1		

PARTS LIST FOR CHEF BASE EQUIPMENT

	Model					
Part name	Part code	Description	TCBE-	TCBE-	TCBE-	Maker
			52SDR	82SDR	96SDR	
MULLION COVER(C)	C961400200	STS430-#4/0.024"(Thickness)	1	1	2	
EVAPORATOR FAN MOTOR	3966328120	IS-4420DWSV-2A	1	2	2	
EVAPORATOR FAN BLADE	M729800100	ΑΙφ175	1	2	2	Same as mega top
EVAPORATOR FAN MOTOR	C961800100	GL/T2	1	2	2	
BRACKET	C901000100	GL/12	'	2	2	
EVAPORATOR FAN DUCT(L)	C526900400	STS304-2B/0.024"(Thickness)	1	1	1	
EVAPORATOR FAN DUCT(R)	C966900500	STS304-2B/0.024"(Thickness)		1	1	
EVAPORATOR DUCT INNER	C966900800	STS304-2B/0.024"(Thickness)				
COVER(L)						
EVAPORATOR DUCT INNER	C966900700	STS304-2B/0.024"(Thickness)				
COVER(R)						
EVAPORATOR DUCT(L)	C526900600	STS304-2B/0.024"(Thickness)	1	1	1	
EVAPORATOR DUCT(R)	C966900600	STS304-2B/0.024"(Thickness)		1	1	
EVAPORATOR ASSEMBLY	C527000100	CU	1	2	2	
EVAPORATOR DRAIN GUIDE	C527500100	STS304-2B/0.024"(Thickness)	1			
EVAPORATOR DRAIN GUIDE	C827500100	STS304-2B/0.024"(Thickness)		1		
EVAPORATOR DRAIN GUIDE	C967500100	STS304-2B/0.024"(Thickness)			1	
THERMOSTAT		K55-Q5608	1	1	1	
THERMOSTAT COVER	C968300100	STS304-2B/0.024"(Thickness)	1	1	1	
HARNESS MOTOR	C522700300	PVC	1			
HARNESS MOTOR	C822700300	PVC		1		
HARNESS MOTOR	C962700300	PVC			1	
HARNESS MULLION	C522700400	PVC	1			
HARNESS MULLION	C822700400	PVC		1		
DRAWER GUIDE(SB)(L)	C968601300	STS304-2B/0.079"(Thickness)	2	4	4	
DRAWER GUIDE(SB)(R)	C968601400	STS304-2B/0.079"(Thickness)	2	4	4	
Counter top assembly						
COUNTER TOP ASSEMBLY	C520000300	STS304-2B/0.059"(Thickness)	1			
COUNTER TOP ASSEMBLY	C820000300	STS304-2B/0.059"(Thickness)		1		
COUNTER TOP ASSEMBLY	C960000400	STS304-2B/0.059"(Thickness)			1	

7.REPLACEMENT OF MAIN COMPONENTS

7-1.REPLACING DRAWER A. Pull out the drawer



B. Lift the drawer



C. Take out the draw guide





7-2.REFRIGERATION COMPARTMENT PARTS

A. Disassemble the temperature control cover



B. Disassemble the eva fan duct





C. Take out the eva fan duct



D. Disassemble the eva duct



E. Replace the thermostat &sensor





F. Remove the evaporator coil



REPLACEMENT OF MAIN COMPONENTS

G. Disassemble the evaporator fan motor



7-3.COMPRESSOR COMPARTMENT PARTS

A. Disassemble the unit front cover





B. Disconnect the connectors



C. Disassemble the condensing unit





REPLACEMENT OF MAIN COMPONENTS

D. Disconnect the connectors



E. Disassemble the condenser fan motor



7-4. Replacing the display assembly

A. Disassemble the display fixture



B. Take out the display



REPLACEMENT OF MAIN COMPONENTS

7-5. Replacing the cabinet heater

A. Disassemble the line frame cover





B. Disassemble the cabinet heater



7-6. Replacing the mullion heater

A. Disassemble the mullion cover





B. Disassemble the mullion heater





C. Disassemble the connectors



REPLACEMENT OF MAIN COMPONENTS

7-7. REPLACING THE PANS

